



J. Miguel Cordeiro (PhD) has obtained his Licence in Biology (Aveiro (PT)) in 1998; he then took a Master's degree in Cell Biology (Coimbra (PT)) in 2004 and a PhD in Biology (Aveiro (PT) / Genève (CH)) in 2008. He is now a researcher at CIIMAR in the field of neurobiology dedicated at studying new regulatory mechanisms of fast neurosecretion and on discovering new bioactive compounds effective against several neurological diseases tested in pre-clinical models (*Torpedo marmorata* and *Danio rerio*) of disease (Epilepsy, Parkinson's; Alzheimer's and Neuromuscular diseases).

[orcid.org/0000-0003-4656-6045](https://orcid.org/0000-0003-4656-6045)

#### Main publications:

- Cordeiro JM, Meireles SM, Oliveira CR, Vale MGP and Gonçalves PP (2000).  $\text{Ca}^{2+}$  Regulation of the carrier-mediated  $\gamma$ -aminobutyric acid release from isolated synaptic plasma membrane vesicles. *Neuroscience Research* 38:385-395. DOI: 10.1016/S0168-0102(00)00193-0 (1 Dec 2000)
- Meireles SM, Cordeiro JM, Vale MGP, Oliveira CR, and Gonçalves PP (2001). Regulation of the gamma-aminobutyric acid transport through dephosphorylation in isolated synaptic plasma membrane vesicles. In: NATO SCIENCE SERIES, SUB-SERIES I: LIFE AND BEHAVIOURAL SCIENCES Volume: 331 (Calcium Signalling) pp 198-199. Ed: Morad, M; Kostyuk, P. © Ohmsha, IOS Press. (Capítulo de livro) Publicado em 28/04/2001 (ISSN: 1566-7693)(ISBN: 1586031570, 9781586031572)
- Silva VS, Cordeiro JM, Matos MJ, Oliveira CR and Gonçalves PP (2002). Aluminium accumulation and membrane fluidity alteration in synaptosomes isolated from rat brain cortex following aluminium ingestion: Effect of Cholesterol. *Neuroscience Research* 44: 181-193. DOI: 10.1016/S0168-0102(02)00128-1 (PMID:12354633) (1/10/2002).
- Cordeiro JM, Meireles SM, Oliveira CR, Vale MGP and Gonçalves PP (2003). Aluminium-induced impairment of  $\text{Ca}^{2+}$  modulatory action on GABA transport in brain cortex nerve terminals. *J. Inorganic Biochem.* 97: 132-142. DOI: 10.1016/S0162-0134(03)00256-3 (PMID:14507469) (15/9/2003)
- Cordeiro M, Bancila V, Bloc A, Gonçalves P and Dunant Y (2004). A calcium-proton antiport in presynaptic nerve terminals. In: *Cholinergic mechanisms: Function and dysfunction*. Chapter 83: pp 527-529. Ed: Silman, I.; Soreq, H.; Anglisher, L.; Michaelson, D.; Fisher, A.. © Taylor and Francis 2004. ISBN-10: 1841840750 (Capítulo de livro) (20/09/2004)

- Cordeiro JMS (2004). Interação de cálcio e alumínio na modulação do transporte do ácido  $\gamma$ -aminobutírico em vesículas da membrana plasmática sináptica. Faculdade de ciências da Universidade de Coimbra. (Tese de Mestrado) (14/12/2004)
- Cordeiro JM, Dunant Y and Gonçalves PP (2006). Vesicular calcium transport shapes rapid acetylcholine secretion. *Journal of Molecular Neuroscience* 30, Issues 1-2: 41-44. DOI: 10.1385/JMN:30:1:41 (PMID:17192621) (01/02/2006)
- Silva VS, Nunes MA, Cordeiro JM, Calejo AI, Santos S, Neves P, Sykes A, Morgado F, Dunant Y, Gonçalves PP. (2007). Comparative effects of aluminum and ouabain on synaptosomal choline uptake, acetylcholine release and  $(\text{Na}^+/\text{K}^+)\text{ATPase}$ . *Toxicology* 236(3):158-77. DOI: 10.1016/j.tox.2007.04.017 (PMID:17560001) (17/07/2007)
- Nunes MA, Santos S, Cordeiro JM, Neves P, Silva VS, Sykes A, Morgado F, Dunant Y and Gonçalves PP (2008). Acetylcholine release and choline uptake by cuttlefish (*Sepia officinalis*) optic lobe synaptosomes. *Biological Bulletin* 214(1): 1-5. (PMID:18258770) (01/02/2008)
- Cordeiro JMS (2008). Efeito da translocação catiónica mediada por vesículas sinápticas na neurotransmissão. Universidade de Aveiro. (Tese de Doutoramento) (06/02/2008)
- Dunant Y, Cordeiro JM and Gonçalves PP (2009). Exocytosis, mediophore and vesicular  $\text{Ca}^{2+}/\text{H}^+$  antiport in rapid neurotransmission. *Annals of the New York Academy of Sciences* 1152: 100-112. DOI: 10.1111/j.1749-6632.2008.04000.x (PMID:19161381) (21/01/2009)
- Bancila V, Cordeiro M, Bloc A and Dunant Y (2009). Nicotine induces glutamate release without change in the membrane potential or dissipation of the vesicular proton gradient. *Journal of Neurochemistry* 110: 570-580. doi: 10.1111/j.1471-4159.2009.06169.x (PMID:19457080) (15/05/2009)
- Charrua A, Reguenga C, Cordeiro JM, Duarte-Araújo MD, Correia-de-Sá P, Paule C, Nagy I, Cruz F, Avelino A (2009). O urotélio humano responde a mediadores inflamatórios através de mecanismos dependentes do TRPV1. *Acta Urológica*. 26(2): 35. (Revista não indexada; 06/06/2009)
- Charrua A, Reguenga C, Cordeiro JM, Correia-de-Sá P, Paule C, Nagy I, Cruz F, Avelino A (2009). Functional TRPV1 is expressed in human urothelial cells. *J Urol*. 182(6):2944-50. DOI: 10.1016/j.juro.2009.08.022. (PMID:19846148) (20/10/2009)
- Yves Dunant, Victor Bancila and Miguel Cordeiro (2010). Ultra-fast versus sustained cholinergic transmission: a variety of different mechanisms. *J Mol Neurosci*. 40: 27-31. DOI: 10.1007/s12031-009-9249-9. (PMID:19777383) (01/01/2010)
- Cordeiro JM, Gonçalves P.P. and Dunant Y (2011). Synaptic vesicles regulate the time-course of secretion via a  $\text{Ca}^{2+}/\text{H}^+$  antiport. *J Physiol*. 589(Pt 1):149-167. DOI: 10.1113/jphysiol.2010.199224. (PMID:21059764) (01/01/2011)
- Correia-de-Sa', P., Alves, A., Nascimento, F. & Cordeiro, J. M. (2011). Presynaptic nicotinic autoreceptors outlying release sites facilitate cholinergic neurotransmission in the electric organ of *Torpedo marmorata*. *J. Neurochem*. 118 (Suppl. 1), 4–83 (59). DOI: 10.1111/j.1471-

4159.2011.07324.x (Proceedings of ISN-ESN-2011. 23rd biennial meeting of the International society for neurochemistry. Athens, Greece. August 28 to September 1, 2011). (Abstract published in proceedings issue) (01/08/2011)

- Cordeiro JM, Boda B, Gonçalves PP and Dunant Y (2013). Synaptotagmin 1 is required for vesicular Ca<sup>2+</sup>/H<sup>+</sup>-antiport activity. *J.Neurochem.* 126(1):37-46. DOI: 10.1111/jnc.12278 (PMID: 23607712) (15/05/2013)

- Correia-de-Sa P., Barros-Barbosa A, Guerra-Gomes S, Mendes M, Ferreirinha F, Magalhães-Cardoso MT, Lobo MG, Cordeiro JM (2013). Fine-tuning modulation of GABA and glutamate uptake by purinoceptors in the human epileptic neocortex. *J.Neurochem* 125 S1 259 (Proceedings of the 24th biennial meeting of the international-society-for-neurochemistry and the american-society-for-neurochemistry 20-24 April 2013) (DOI:10.1111/jnc.12186) (01-05-2013) (Abstract published in proceedings issue)

-Barros-Barbosa A., Guerra-Gomes S., Ferreirinha F.,Magalhães-Cardoso M.T., Lobo M.G., Santos A., Rangel R., Correia-de-Sá P., Cordeiro J.M. Papel dos purinoceptores na modulação do transporte de GABA e de glutamato em doentes com epilepsia do lobo mesial temporal (MTLE) resistente a fármacos. *Sinapse* 13 (1): 184 ISSN:1645-281X (Proceedings of ENE\_2013 – 25º Encontro Nacional de Epileptologia – Porto-Portugal, 8 a 9 de Março de 2013. (Abstract published in proceedings issue) (01/05/2013)

- Lobo M.G., Teixeira C., Mendes M., Guerra-Gomes S., Ferreirinha F., Santos A., Rangel R., Cordeiro J.M., Correia-de-Sá P. A alteração do tónus entre recetores inibitórios A1 e excitatórios A2A da adenosina explica a acumulação de Ca<sup>2+</sup> pelos terminais nervosos isolados de doentes com epilepsia do lobo mesial temporal (MTLE). *Sinapse* 13 (1): 183 ISSN:1645-281X (Proceedings of ENE\_2013– 25º Encontro Nacional de Epileptologia – Porto-Portugal, 8 a 9 de Março de 2013. (Abstract published in proceedings issue) (01/05/2013)

- Yves Dunant and J. Miguel Cordeiro (2014). Presynaptic K<sup>+</sup> Channels, Vesicular Ca<sup>2+</sup>/H<sup>+</sup> Antiport-Synaptotagmin, and Acetylcholinesterase, Three Mechanisms Cutting Short the Cholinergic Signal at Neuromuscular and Nerve-Electroplaque Junctions. *J. Mol. Neurosci.* 53(3): 377-386 (DOI 10.1007/s12031-013-0212-4)(PMID:24390960) (Epub ahead of print 04/01/2014) (Cover date 01/07/2014)

- Gonçalves AP\*, Cordeiro JM\*, Monteiro J, Muñoz A, Correia-de-Sá P, Read ND and Videira A (2014). Activation of a TRP-like channel and intracellular calcium dynamics during phospholipase C-mediated cell death. \*First co-authorship. *J. Cell Science* 127: 3817-3829 (DOI: 10.1242/jcs.152058)( PMID:25037570) (Epub ahead of print in 18/07/2014 18/07/2014)(Cover date 01/09/2014)

- Gonçalves AP, Monteiro J, Lucchi C, Kowbel DJ, Cordeiro JM, Correia-de-Sá P, Rigden DJ, Glass L, and Videira (2014). Extracellular calcium triggers unique transcriptional programs and modulates staurosporine-induced cell death in *Neurospora crassa*. *Microbial Cell* 2014 1(9): 289 (09-08-2014).

- Gonçalves AP, Cordeiro JM, Monteiro J, Lucchi C, Correia-de-Sá P, Videira A (2015). Involvement of mitochondrial proteins in calcium signalling and cell death induced by

staurosporine in *Neurospora crassa*. *Biochimica et Biophysica Acta- Bioenergetics*. 1847(10):1064-1074. (DOI: 10.1016/j.bbabi.2015.05.011.) (PMID: 26004627) (Epub ahead of print in 22/05/2015)

- Matos R., Cordeiro J.M., Igawa Y., Cruz F., Charrua A.(2015). Bladder pain in BPS/IC may result from an exaggerated response of TRPV1 and enhanced urothelial ATP release induced by chronic adrenergic overactivity. *Neurourology and Urodynamics* Volume: 34 Supplement: 3 Pages: S341-S342 (Proceedings of the 45th Annual Meeting of the International-Continence-Society (ICS). Montreal, CANADA. OCT 06-09, 2015.) (Abstract number 444 published in proceedings issue). Publication date: August 2015.

- Barros-Barbosa AR, Lobo MG, Correia-de-Sá P and Cordeiro JM (2015). P2X7 receptor activation downmodulates Na<sup>+</sup>-dependent high-affinity GABA and glutamate transport into rat cortical synaptosomes. *Neuroscience* 306: 74. DOI: 10.1016/j.neuroscience.2015.08.026

- Charrua A, Cordeiro JM (2015). ATP signalling in the urinary bladder. *SM Journal of Urology*. *SM J Urol*. 2015;1(2):1011.

- Barros-Barbosa AR, Fonseca A, Guerra-Gomes S, Ferreirinha F, Santos A, Rangel R, Lobo MG, Correia-de-Sá P, Cordeiro JM (2016). Up regulation of P2X7 receptor-mediated inhibition of GABA uptake by nerve terminals of the human epileptic neocortex. *Epilepsia*. 2016 Jan;57(1):99-110. doi: 10.1111/epi.13263.

- Matos R, Cordeiro JM, Coelho A, Ferreira S, Silva C, Igawa Y, Cruz F, Charrua A (2016). Bladder pain induced by prolonged peripheral alpha 1A adrenoceptor stimulation involves the enhancement of transient receptor potential vanilloid 1 activity and an increase of urothelial adenosine triphosphate release. *Acta Physiol (Oxf)*. 2016 Dec;218(4):265-275. doi: 10.1111/apha.12744.

- Barros-Barbosa AR, Ferreirinha F, Oliveira Â, Mendes M, Lobo MG, Santos A, Rangel R, Pelletier J, Sévigny J, Cordeiro JM, Correia-de-Sá P (2016). Adenosine A2A receptor and ecto-5'-nucleotidase/CD73 are upregulated in hippocampal astrocytes of human patients with mesial temporal lobe epilepsy (MTLE). *Purinergic Signal*. 2016 Dec;12(4):719-734. DOI:10.1007/s11302-016-9535-2

- Correia-de-Sá P e Cordeiro JM (2017). Acetilcolina. In: *Neurociências* Ed: Rego AC; Duarte CB e Oliveira CR. © LIDEL. (Capítulo de Livro)

- Barros-Barbosa AR, Oliveira A, Lobo MG, Cordeiro JM and Correia-de-Sá P (2017). ATP, via ionotropic P2X7 receptors, differentially regulates GABA and glutamate release from isolated nerve terminals of the rat cerebral cortex. *Neurochem international* (submitted).